

KINGSPAN ROOF DOWNSPOUT ASSEMBLY

REVISION

0	7/3/24
1	9/20/24

DISCLAIMERS:

THESE DETAILS ARE PROVIDED AS A GUIDELINE FOR PROPER PANEL AND ASSOCIATED COMPONENT INSTALLATION, AND ARE BASED ON INDUSTRY ACCEPTED PRACTICES.

LOCATION OF VAPOR BARRIERS AND ASSOCIATED SEALANTS IN THESE DETAILS ARE BASED ON TYPICAL DESIGN PRACTICES FOR MOST U.S. CLIMACTIC ZONES. (THE PRIMARY VAPOR BARRIER IS PLACED ON THE "WARM" SIDE IN WINTER).

CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT FASTENING REQUIREMENTS
EXTRUSION SHAPES / ENGAGEMENT MAY VARY FROM THOSE SHOWN.

PROJECTS LOCATED IN AREAS SUBJECT TO EXTREME COLD AND/OR HIGH SNOW LOADS MAY REQUIRE MODIFICATIONS TO THESE DETAILS - CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT RECOMMENDATIONS.

ALL STRUCTURAL SUPPORTS ARE NOT BY KINGSPAN AND ARE SHOWN FOR CLARIFICATION PURPOSES ONLY.

TO ENSURE YOU ARE VIEWING THE MOST RECENT AND ACCURATE PRODUCT INFORMATION, PLEASE VISIT WWW.KINGSPANPANELS.COM

CARE HAS BEEN TAKEN TO ENSURE THAT THE CONTENTS OF THIS PUBLICATION ARE ACCURATE, BUT KINGSPAN AND ITS SUBSIDIARY COMPANIES DO NOT ACCEPT RESPONSIBILITY FOR ERRORS OR FOR INFORMATION THAT IS FOUND TO BE MISLEADING. SUGGESTIONS FOR, OR DESCRIPTION OF, THE END USE OR APPLICATION OF PRODUCTS OR METHODS OF WORKING ARE FOR INFORMATION ONLY AND KINGSPAN LIMITED AND ITS SUBSIDIARIES ACCEPT NO LIABILITY IN RESPECT THEREOF.

DISCLAIMER

DETAIL #: DOWNSPOUTS


RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com




KINGSPAN ROOF DOWNSPOUT ASSEMBLY




OVERSIZED DOWNSPOUT TRIM
XX GA. COLOR (PAINT FINISH) EMBOSMENT
BLANK WIDTH: 17.00" X 10'-3" / 15'-3" / 20' MAX. LENGTH

DS-03




OVERSIZED DOWNSPOUT ADAPTER
XX GA. COLOR (PAINT FINISH) EMBOSMENT
BLANK WIDTH: 17.00" X 4.5" LENGTH

DN-02




OVERSIZED DOWNSPOUT STRAP - BENT
XX GA. COLOR (PAINT FINISH) EMBOSMENT
BLANK WIDTH: 2.50" X 12'-0" LENGTH

DT-02



OVERSIZED DOWNSPOUT ELBOW - OUTSIDE SEAM
XX GA. COLOR (PAINT FINISH) EMBOSMENT
BLANK WIDTH: 17.00" X 16.20" LENGTH

DSE-753



OVERSIZED DOWNSPOUT ELBOW - INSIDE SEAM
XX GA. COLOR (PAINT FINISH) EMBOSMENT
BLANK WIDTH: 17.00" X 16.20" LENGTH

DSE-753

**4x4 OVERSIZED
DOWNSPOUT ASSEMBLY**

DETAIL #: DOWNSPOUTS

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN ROOF DOWNSPOUT ASSEMBLY

TRIM GIRTH: 17.00"

QUANTITY OF BREAKS: 5

QUANTITY REQUIRED:


AT 10'-3" LENGTH / 15'-3" LENGTH

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA (FOR SPECIAL LENGTHS - CONTACT CUSTOMER SERVICE)

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST.

REVISION	
REVISION #	DATE
0	7/3/24

4x4 OVERSIZED
DOWNSPOUT

DETAIL #: DS-03

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN ROOF DOWNSPOUT ASSEMBLY

TRIM GIRTH: 17.00"

QUANTITY OF BREAKS: 6

QUANTITY REQUIRED:


AT 4.5" LENGTH

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST.

REVISION	
REVISION #	DATE
1	9/20/24

4x4 OVERSIZED
DOWNSPOUT ADAPTER

DETAIL #: DN-02

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN ROOF DOWNSPOUT ASSEMBLY

TRIM GIRTH: 2.50"

QUANTITY OF BREAKS: 0



QUANTITY REQUIRED: AT 12'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



REVISION	
REVISION #	DATE
0	7/3/24

4x4 OVERSIZED
DOWNSPOUT STRAP

DETAIL #: DT-02

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN ROOF DOWNSPOUT ASSEMBLY

TRIM GIRTH: 17.00"

QUANTITY OF BREAKS: 5

QUANTITY REQUIRED:


AT 16.20" LENGTH

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST.

REVISION	
REVISION #	DATE
0	7/3/24

**4x4 OVERSIZED
DOWNSPOUT ELBOW
OUTSIDE SEAM**

DETAIL #: DSE-753

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN ROOF DOWNSPOUT ASSEMBLY

TRIM GIRTH: 17.00"

QUANTITY OF BREAKS: 5

QUANTITY REQUIRED:


AT 16.20" LENGTH

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST.

REVISION	
REVISION #	DATE
0	7/3/24

**4x4 OVERSIZED
DOWNSPOUT ELBOW
INSIDE SEAM**

DETAIL #: DSE-753

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com

