


High Performance Color Coating Options

For Roof Panel Systems / KingSeam / KingRib 3/5




Colors

Kingspan offers a full spectrum of colors for every color scheme. High-performance coating options provide long-life protection, color and gloss retention to suit the specifications and requirements of your buildings.


- Non-embossed (smooth) metal surfaces are offered as standard on roof panels.
- Premium colors, paint systems and special orders are subject to higher pricing and extended lead times.
- Complete paint system specifications and standard finish warranties are available upon request.
- Minimum order quantities may apply for KingRib 5.

Standard Colors

Standard SMP



Imperial White
SR .70 | E .86 | SRI 85



Polar White
SR .60 | E .87 | SRI 71



Light Stone
SR .56 | E .87 | SRI 66



Sandstone
SR .60 | E .86 | SRI 71




Burnished Slate
SR .32 | E .87 | SRI 33




Surrey Beige
SR .53 | E .86 | SRI 61

Standard Interior Polyester



Imperial White
SR .66 | E .85 | SRI 79

Standard PVDF*



Regal White
SR .72 | E .87 | SRI 88




Light French Gray
SR .60 | E .87 | SRI 71




Pearl Gray
SR .49 | E .86 | SRI 56




Tundra
SR .45 | E .87 | SRI 51




Almond
SR .63 | E .87 | SRI 75



Surrey Beige
SR .48 | E .85 | SRI 54




Medium Bronze
SR .33 | E .86 | SRI 34




Reddened Earth
SR .44 | E .86 | SRI 49



Slate Gray
SR .40 | E .87 | SRI 44



Sandstone
SR .61 | E .85 | SRI 72



Warm White
SR .64 | E .87 | SRI 77



Royal Blue
SR .29 | E .86 | SRI 29

Premium Colors


Premium SMP




Ash Gray
SR .46 | E .87 | SRI 52



Grizzle Gray
SR .33 | E .87 | SRI 35



Almond
SR .63 | E .86 | SRI 75



Tundra
SR .44 | E .87 | SRI 49


Premium PVDF*



Snow White
SR .67 | E .87 | SRI 81



Peppercorn
SR .33 | E .87 | SRI 35



Virtual Taupe
SR .40 | E .87 | SRI 44



Weathered Copper
SR .28 | E .87 | SRI 28



Colonial Red**
SR .33 | E .87 | SRI 35



Evergreen
SR .28 | E .86 | SRI 27



Slate Blue
SR .30 | E .87 | SRI 31



Naval
SR .29 | E .87 | SRI 29

PVDF - Mica (2 Coat)*




Pewter
SR .44 | E .84 | SRI 48



Champagne
Metallic Bronze
SR .34 | E .84 | SRI 35



Corten Steel
SR .35 | E .88 | SRI 38



Textured Bronze
SR .34 | E .88 | SRI 48


The colors shown here are representative only and not necessarily true reproductions of actual coating colors. All performance data (SR, E and SRI) listed for SMP and PVDF, unless otherwise noted, are for AW500 and AW1000 finish systems, respectively.

* Kingspan reserves the right to supply FEVE resin as a substitute for PVDF based on availability with or without notice. This substitution will not impact warranty or performance of the paint system.

** AW1250 Finish System.


Paint Coating Systems

KingRib and KingSeam are available in a range of coil coating systems formulated to withstand a variety of aggressive environments. These advanced finishes act as exceptional barriers against corrosive or extreme weather conditions, while also enhancing resistance to surface chalk and fade.




AW100
Polyester
Standard Interior Finish

- 1 .75 mil nominal top coat
- 2 .25 mil nominal primer
- 3 Substrate




AW250
AdobeTexture®
AdobeTexture® Stucco Finish

- 1 .8 mil nominal top coat
- 2 .2 mil nominal primer
- 3 Substrate




AW500
SMP
Solid Color Exterior Finish

- 1 .75 mil nominal top coat
- 2 .25 mil nominal primer
- 3 Substrate




AW750
Plastisol/PVC
Durable Interior Washdown

- 1 4.0 mil nominal top coat
- 2 .15 mil nominal primer
- 3 Substrate




AW1000/1250
PVDF/FEVE
High Performance Exterior Coating

- 1 .75 mil nominal top coat
- 2 .25 mil nominal primer
- 3 Substrate




AW1500/1750
PVDF/FEVE-Mica
Exterior Finish with Iridescent Shine

- 1 .75 mil nominal top coat
- 2 .25 mil nominal primer
- 3 Substrate




AW2000/2250
PVDF/FEVE-High Build
High Build Exterior Finish

- 1 .75 mil nominal top coat
- 2 1.0 mil nominal primer
- 3 Substrate




AW2500
PVDF-Coastal
Standard Coastal Finish

- 1 .75 mil nominal top coat
- 2 1.1 nominal primer
- 3 Substrate




AW3000/3250
PVDF/FEVE-Metallic
Exterior Metallic with Clear Coat

- 1 .50 mil nominal clear coat
- 2 .75 mil nominal top coat
- 3 .2 mil nominal primer
- 4 Substrate



AW4000/4250
PVDF/FEVE-High Performance
High Build Exterior Coating
for Harsh Conditions

- 1 .75 mil nominal top coat
- 2 3 coats 1.0 mil nominal primer
- 3 Substrate



AW4500
PVDF-Coastal
High Build Coastal Finish

- 1 .75 mil nominal top coat
- 2 3 coats 1.0 mil nominal primer
- 3 Substrate

KingSeam & KingRib


KingSeam Insulated Standing Seam Roof Panel System

The KingSeam insulated standing seam roof panel system features the traditional look of a standing seam roof for a sleek, stylish appearance but with all of the benefits of an insulated metal panel. That means unmatched energy efficiency with high R values, increased durability, and proven protection against fire. KingSeam panels also install quick and easy, reducing construction costs.



KingRib 3/5 Insulated Roof Panel System

The KingRib insulated roof panel system offers a cost-effective alternate to field-assembled high rib roof applications, with all the outstanding benefits of insulated panels – high R values, energy efficiency, and an unrivaled fire rating. This 3/5 Rib profile allows for long span requirements and/or severe loading conditions.



Contact Details

USA

DeLand | FL
877-638-3266

Modesto | CA
800-377-5110

info.NA@kingspanpanels.us
www.kingspanpanels.us

Canada

Caledon | ON
866-442-3594

Langley | BC
877-937-6562

info.NA@kingspanpanels.ca
www.kingspanpanels.ca



Kingspan offers a full spectrum of vibrant colors for every color scheme. The high performance range by Sherwin-Williams® Coil Coatings provide long-life protection, color and gloss retention. Custom color matching is available to meet individual building designs and creative freedom.

SHERWIN-WILLIAMS.
Coil Coatings

Sherwin-Williams® is a trademark of SWIMC LLC.

For the product offering in other markets please contact your local sales representative or visit our website.

To ensure you are viewing the most recent and accurate product information, please visit www.kingspanpanels.us or www.kingspanpanels.ca.

Care has been taken to ensure that the contents of this publication are accurate, but Kingspan Limited and its subsidiary companies do not accept responsibility for errors or for information that is found to be misleading. Suggestions for, or description of, the end use or application of products or methods of working are for information only and Kingspan Limited and its subsidiaries accept no liability in respect thereof.

© Kingspan, KingRib, KingSeam and the Lion Device are Registered Trademarks of the Kingspan Group plc in the US, Canada and other countries. All rights reserved.
© Kingspan Insulated Panels Inc.

Issue 5.1: 04/2024

