

KINGSPAN BREAK FORM TRIMS

TRIM GIRTH: QUANTITY OF BREAKS: 2


QUANTITY REQUIRED: AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM DIMENSION		
PANEL THICKNESS	DIM. "A"	STRETCH OUT
2"	2 1/4"	7 1/4"
2 1/2"	2 3/4"	7 3/4"
3"	3 1/4"	8 1/4"
4"	4 1/4"	9 1/4"
5"	5 1/4"	10 1/4"
6"	6 1/4"	11 1/4"

TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-BS-02-KSH CI-VJ-15-KSH
 CI-BS-CMU-02-KSH
 CI-VJ-14-KSH

REVISION	
REVISION #	DATE
2	11/25/24

BASE FLASHING

DETAIL #: KS SERIES HORIZ
 RELEASE: 2024
 REGION: NORTH AMERICA
www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 2

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM DIMENSION

PANEL THICKNESS	DIM. "A"	STRETCH OUT
2"	2 1/4"	8 3/4"
2 1/2"	2 3/4"	9 1/4"
3"	3 1/4"	9 3/4"
4"	4 1/4"	10 3/4"
5"	5 1/4"	11 3/4"
6"	6 1/4"	1'-0 3/4"

TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-BS-06-KSH
CI-BS-CMU-05-KSH

REVISION

REVISION #	DATE
2	11/25/24

BASE FLASHING

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH: QUANTITY OF BREAKS: 6


QUANTITY REQUIRED: AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



*TRIM IS DOUBLED OVER FOR COLOR BOTH SIDES

TRIM DIMENSION		
PANEL THICKNESS	DIM. "A"	STRETCH OUT
2"	2 1/4"	13 1/2"
2 1/2"	2 3/4"	14 1/2"
3"	3 1/4"	15 1/2"
4"	4 1/4"	17 1/2"
5"	5 1/4"	19 1/2"
6"	6 1/4"	21 1/2"

TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-BS-CMU-04-KSH

REVISION	
REVISION #	DATE
2	11/25/24

BASE FLASHING

DETAIL #: KS SERIES HORIZ
 RELEASE: 2024
 REGION: NORTH AMERICA
www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 2

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



IF PAINTED PLEASE SPECIFY WHICH SIDE

TRIM DIMENSION		
PANEL THICKNESS	DIM. "A"	STRETCH OUT
2"	2 1/4"	5 1/2"
2 1/2"	2 3/4"	6"
3"	3 1/4"	6 1/2"
4"	4 1/4"	7 1/2"
5"	5 1/4"	8 1/2"
6"	6 1/4"	9 1/2"

TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-WR-02-KSH

REVISION	
REVISION #	DATE
2	11/25/24

STACK FLASHING

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 3

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM DIMENSION

PANEL THICKNESS	DIM. "A"	STRETCH OUT
2"	1 3/4"	4 1/4"
2 1/2"	2 1/4"	4 3/4"
3"	2 3/4"	5 1/4"
4"	3 3/4"	6 1/4"
5"	4 3/4"	7 1/4"
6"	5 3/4"	8 1/4"

TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-WR-01-KSH

REVISION

REVISION #	DATE
2	11/25/24

BASE TRIM

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 5

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM DIMENSION

PANEL THICKNESS	DIM. "A"	STRETCH OUT
2"	5"	11"
2 1/2"	5 1/2"	12"
3"	6"	13"
4"	7"	15"
5"	8"	17"
6"	9"	19"

TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-OC-03-KSH CI-IC-03-KSH
CI-IC-01-KSH CI-IC-04-KSH
CI-IC-02-KSH CI-OC-CMU-03-KSH

REVISION

REVISION #	DATE
2	11/25/24

OUTSIDE CORNER

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH: 7.0"

QUANTITY OF BREAKS: 5

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-OC-01-KSH
CI-OC-CMU-01-KSH

REVISION

REVISION #	DATE
1	12/19/23

OUTSIDE CORNER

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 5

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-IC-CMU-01-KSH CI-IC-CMU-04-KSH
CI-IC-CMU-02-KSH
CI-IC-CMU-03-KSH

REVISION

REVISION #	DATE
1	12/19/23

INSIDE CORNER

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH: 7.0"

QUANTITY OF BREAKS: 5


QUANTITY REQUIRED: AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-OC-01-KSH CI-IC-CMU-01-KSH
CI-OC-02-KSH
CI-OC-03-KSH
CI-IC-01-KSH

REVISION	
REVISION #	DATE
1	12/19/23

INSIDE CORNER

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH: 7.0"

QUANTITY OF BREAKS: 5

QUANTITY REQUIRED: AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)


GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:

NOTE: THIS IS A CUSTOM TRIM
WITH DIMENSIONS DEPENDANT
UPON MATERIALS SUPPLIED BY
OTHERS (NOT BY KINGSPAN)
TRIM DIMENSIONS MUST BE
BY CUSTOMER



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-OC-CMU-01-KSH
CI-OC-CMU-02-KSH
CI-OC-CMU-03-KSH

REVISION

REVISION #	DATE
1	12/19/23

INSIDE CORNER

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH: QUANTITY OF BREAKS: 5


QUANTITY REQUIRED: AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM DIMENSION		
PANEL THICKNESS	DIM. "A"	STRETCH OUT
2"	1 3/4"	4 3/4"
2 1/2"	2 1/4"	5 1/4"
3"	2 3/4"	5 3/4"
4"	3 3/4"	6 3/4"
5"	4 3/4"	7 3/4"
6"	5 3/4"	8 3/4"

TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-IC-03-KSH CI-FO-11-KSH
 CI-IC-CMU-03-KSH CI-FO-13-KSH
 CI-FO-04-KSH CI-WR-02-KSH
 CI-FO-07-KSH

REVISION	
REVISION #	DATE
2	11/25/24

CAP TRIM

DETAIL #: KS SERIES HORIZ
 RELEASE: 2024
 REGION: NORTH AMERICA
www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH: QUANTITY OF BREAKS: 6


QUANTITY REQUIRED: AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



*TRIM IS DOUBLED OVER FOR COLOR BOTH SIDES

TRIM DIMENSION		
PANEL THICKNESS	DIM. "A"	STRETCH OUT
2"	2 1/4"	9 1/2"
2 1/2"	2 3/4"	10 1/2"
3"	3 1/4"	11 1/2"
4"	4 1/4"	13 1/2"
5"	5 1/4"	15 1/2"
6"	6 1/4"	17 1/2"

TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-BS-05-KSH
CI-FO-01-KSH
CI-FO-05-KSH

REVISION	
REVISION #	DATE
2	11/25/24

DRIP FLASHING

DETAIL #: KS SERIES HORIZ
RELEASE: 2024
REGION: NORTH AMERICA
www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH: QUANTITY OF BREAKS: 6


QUANTITY REQUIRED: AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



*TRIM IS DOUBLED OVER FOR COLOR BOTH SIDES

TRIM DIMENSION		
PANEL THICKNESS	DIM. "A"	STRETCH OUT
2"	2 1/4"	8 1/2"
2 1/2"	2 3/4"	9 1/2"
3"	3 1/4"	10 1/2"
4"	4 1/4"	12 1/2"
5"	5 1/4"	14 1/2"
6"	6 1/4"	16 1/2"

TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-FO-02-KSH

REVISION	
REVISION #	DATE
2	11/25/24

DRIP FLASHING

DETAIL #: KS SERIES HORIZ
RELEASE: 2024
REGION: NORTH AMERICA
www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 4

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-FO-04-KSH CI-FO-12-KSH
CI-FO-05-KSH
CI-FO-06-KSH
CI-FO-11-KSH

REVISION	
REVISION #	DATE
1	12/19/23

HEADER / JAMB TRIM

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 4

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



NOTE: THIS IS A CUSTOM TRIM
WITH DIMENSIONS DEPENDANT
UPON MATERIALS SUPPLIED BY
OTHERS (NOT BY KINGSPAN)
TRIM DIMENSIONS MUST BE
BY CUSTOMER

TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-FO-08-KSH
CI-FO-09-KSH
CI-FO-15-KSH

REVISION

REVISION #	DATE
2	11/25/24

JAMB TRIM

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 5

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-FO-14-KSH

REVISION

REVISION #	DATE
1	12/19/23

SILL TRIM

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 8

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-PR-01-KSH
CI-PR-03-KSH

REVISION	
REVISION #	DATE
1	12/19/23

PARAPET CAP

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 2

QUANTITY REQUIRED:


AT 0'-8" LENGTH

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-PR-01-KSH (PARAPET TRIM LAP STRIP)

REVISION

REVISION #	DATE
1	12/19/23

PARAPET LAP STRIP

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 1

QUANTITY REQUIRED:

AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)


GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:

NOTE: CLEAT GAGE SHOULD BE
REVIEWED BY KINGSPAN
ENGINEERING BASED ON
PARAPET TRIM DESIGN



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-PR-01-KSH

REVISION

REVISION #	DATE
1	12/19/23

PARAPET CLEAT

DETAIL #: KS SERIES HORIZ

RELEASE: 2024


REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:	QUANTITY OF BREAKS: 9
QUANTITY REQUIRED:	AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)
GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA	
COLOR:	
EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH	
FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:	



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-PR-02-KSH
CI-PR-04-KSH

REVISION	
REVISION #	DATE
1	12/19/23

PARAPET CAP

DETAIL #: KS SERIES HORIZ
RELEASE: 2024
REGION: NORTH AMERICA
www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 3

QUANTITY REQUIRED:


AT 0'-8" LENGTH

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-PR-02-KSV (PROFILED PARAPET TRIM LAP STRIP)

REVISION	
REVISION #	DATE
1	12/19/23

PARAPET LAP STRIP

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 2 hems + 4 breaks

QUANTITY REQUIRED:


AT 10'-3" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-VJ-01A-KSH

REVISION

REVISION #	DATE
1	12/19/23

HAT TRIM

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 2 hems + 4 breaks

QUANTITY REQUIRED:


AT 10'-3" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-VJ-01B-KSH (2-PIECE)

REVISION	
REVISION #	DATE
1	12/19/23

HAT TRIM 2-PIECE

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com



KINGSPAN BREAK FORM TRIMS

TRIM GIRTH:

QUANTITY OF BREAKS: 4

QUANTITY REQUIRED:


AT 10'-0" LENGTH (TO BE FIELD CUT AS REQUIRED)

GAUGE: ☐ 26GA ☐ 24GA ☐ 22GA

COLOR:

EMBOSSMENT: ☐ STUCCO EMBOSSED ☐ AZTECO EMBOSSED ☐ SMOOTH

FINISH: ☐ STANDARD KYNAR ☐ MP/SMP ☐ OTHER:



TRIM PROFILES AND DIMENSIONS ARE BASED UPON THE PUBLISHED KINGSPAN CONSTRUCTION DETAILS. ALL DIMENSIONS REQUIRE VERIFICATION. CUSTOM PROFILES AVAILABLE UPON REQUEST. THE ABOVE TRIM COMPONENT IS BASED UPON THE FOLLOWING KINGSPAN DETAILS:

CI-VJ-01A-KSH	CI-VJ-04-KSH	CI-VJ-09-KSH	CI-VJ-14-KSH
CI-VJ-01B-KSH	CI-VJ-05-KSH	CI-VJ-10-KSH	CI-VJ-15-KSH
CI-VJ-02-KSH	CI-VJ-06-KSH	CI-VJ-11-KSH	
CI-VJ-03-KSH	CI-VJ-08-KSH	CI-VJ-13-KSH	

REVISION	
REVISION #	DATE
1	12/19/23

MENDING PLATE

DETAIL #: KS SERIES HORIZ

RELEASE: 2024

REGION: NORTH AMERICA

www.kingspanpanels.com

